International Journal of Applied Research 2021; 7(6): 311-314



International Journal of Applied Research

ISSN Print: 2394-7500 ISSN Online: 2394-5869 Impact Factor: 8.4 IJAR 2021; 7(6): 311-314 www.allresearchjournal.com Received: 16-04-2021 Accepted: 18-05-2021

Rohit Sharma

Research Scholar, Department of Physical Education, OPJS University, Rawatsar, Koojla, Rajasthan, India

An analytical study of mental health of professional and non-professional students

Rohit Sharma

Abstract

Present study was intended to explore the level of mental health of professional and non-professional students. The data for the present study consists of 400 respondents selected from delimited institutions of Jammu division. For measuring the mental health of the respondents, the investigator employed the Mental Health Inventory (MHI) developed by Dr. Jagdesh and Dr. A. K. Srivastawa. The collected data was subjected to statistical treatment by using Mean, Standard Deviation and 't' test. Whole data was selected with the help of Random Sampling Technique (RST). Keeping in view, insignificant difference was reported between professional and non-professional students on various dimensions of mental health viz. Positive self-evaluation (PSE), Perception of reality (PR), Integration of personality (IP), Autonomy (AUTNY), Group oriented attitude (GOA), Environmental Competence (EC) and composite score. Consequently, the investigator can inferred that the impact of type of subject stream opted by respondents has insignificant impact on the level of mental health, self-understanding and time management competence.

Keywords: health consciousness, male adolescents, female adolescents

Introduction

Mental health commutates those behaviours, perceptions and feelings that determine a person's overall level of personal effectiveness, success, happiness and excellence of functioning as a person. It affects our ability to cope with and manage change, life events and transitions such as sadness or retirement. All human beings have mental health needs, no matter what the state of their psyche. Enhancing the value and visibility of mental health recognize the broader issues which promote mental health. Looking at the current social, psychological situations of this complex world, it has become quite essential to study mental health. Within the context of the educational system, the issues related to health may be conceptualized in terms of three elements, like students, teachers and the immediate school context within which instruction is imparted. The functioning of the educational process itself may become a source of stress and strain and ill health for its participants. The students come to an educational institution with certain explicit and implicit expectations from the school, the same way our society expects to have the students as the mentally healthy future citizens. But the complex human life and current changes at global level bring diverse mental illness to students' psyche. Mental health problems may arise due to incompatibility between the demands of the educational system and the characteristics of learners, or between learner's expectations and the educational processes, or both. The age of adolescence is considered to be the most vulnerable in developing different mental illness. A mentally healthy individual evaluating himself properly is aware of his limitations. He easily accepts his faults and makes efforts to rid himself of them. He introspects so that he may analyse his problems, prejudices, difficulties etc. and reduce them to a minimum. Good mental health means appreciating your achievements and accepting your shortcomings. A mental illness can cause an inferiority complex, a negative body image and intense feelings of self-hate, anger, disgust and uselessness which could mutate into extreme depression, psycho-social disorders, or eating disorders. Keeping in view, the investigator selected the below mentioned research problem. Besides, large number of studies number of research studies has been conducted in the field of health consciousness. However, diversified results have been reported. Notable studies are; "Arias, A. J., Steinberg, K., Banga, A., & Trestman, R. L. (2006) [4], Black, D. S., Milam, J., & Sussman, S. (2009) [5], Chiesa, A. (2009) [8],

Corresponding Author:
Rohit Sharma
Research Scholar, Department
of Physical Education, OPJS
University, Rawatsar, Kooila.

University, Rawatsar, Koojla, Rajasthan, India Chiesa, A., & Serretti, A. (2009) [9], Clark, C., & Stansfeld, S. A. (2007) [12]. Keeping the results of the above studies under consideration the investigator explored the below mentioned research study:

Problem in hand: Keeping the above mentioned observations under consideration the research problem for the present study is reported as under:

An analytical study of mental health of professional and non-professional students

Objectives of the study: The present study consists of below mentioned objectives:

1) To explore the level of mental health among professional and non-professional students.

Hypothesis: Based on the richness background of the knowledge, the investigator speculate the below mentioned hypothesis:

 There exists no significant difference between professional and non-professional students on their level of mental health.

Operationalization of the variable: The operational definitions of terms and variable involved in the study are briefly itemised as under:

- a) Mental health: Mental health in the presents study refers the set of score obtained by the respondents on mental health inventory developed by Jagdesh and A.K. Srivastawa.
- b) Professional students: A professional student refers Bachelor of physical education (B.P. Ed.) aspirants. More obviously, it indicates those male respondents who are pursuing Bachelor of physical education from selected high educational institutions.
- c) Non-professional students: Non-professional students in the present study were operationally treated Bachelor of Arts (BA) aspiartsnts.it simply indicated those students who are pursuing Bachelor of Arts (BA) from the selected higher educational institutes.

Delimitations of the study: The research limitations were already prevailing in the entire research process. The limitations of time, budget and economic aspects already existed in the present study. So keeping these constraints under consideration, the present study was delimited to 400 professional and non-professional students. Besides, presents study was delimited to Jammu Division of union territory of Jammu and Kashmir.

Methodology: The present study has been operated through Descriptive Research Method (DRM). Further, design of the study is based on below mentioned parameters.

Sample: A representative sample of 600 professional and non-professional students was selected for the present investigation. Professional students in the present study designate those students who were pursuing Bachelor of Physical education (B.P. Ed.) from the selected colleges and universities of Jammu Division. Non-professional students in the present study designate those male students who were pursuing Bachelor of Arts (B.A.). However, these respondents were selected from I-year, 2nd year and 3rd year's degree course. Meanwhile, is pertinent to mention

here that all respondents were selected within the age group of 17-21 years.

A) Sampling technique

Initially a list of all students was made and these lists were treated as sampling farms. These students were assigned with a specific code. In the meantime sampling farms were put in the context of Yeats Table and randomization was made on the basis same procedure. However, professional stratification was made before operating the process of randomization. So for electing the required sample random sampling technique was used.

B) Tools used

For measuring the mental health of the respondents, the investigator employed the mental health inventory developed by Dr. Jagdesh and Dr. A.K. Srivastawa.

Analysis and interpretation of the data: The collected data was analysed and interpreted. Bothe descriptive analysis as well as comparative analysis was calculated. The detailed analysis and interpretation is reported as under:

Table 1: Showing the frequency and percent wise distribution of professional and non-professional students on various levels of mental health. (N=150 each)

Norms	Professional students		Non-professional students		
	Frequency	Percentage	Frequency	Percentage	
VG	10	3.33	05	1.66	
G	10	3.33	10	3.33	
A	110	36.66	100	33.33	
P	15	5.00	30	10.00	
VP	05	1.66	05	1.66	
Total	150	100	150	100	

Index:

- VG=Very good
- G= Good
- A=Average
- P=Poor
- VP= Very poor




Fig 1: Showing the graphical illustration of professional and nonprofessional students on various levels of mental health

Index

- VG=Very good
- G= Good
- A=Average
- P=Poor
- VP= Very poor

Interpretation: The resulted presented in above reported table gives frequency and percentage wise distribution of professional and non-professional students on various levels of mental health. The collocated results indicate that among professional students 3.33% (F=10) were seen with very good level of mental health. Besides, the revealed results indicate that 3.33% (F=10) were seen with good level of mental health. In addition to this, it was found that 36.66.00% (F=110) were seen average level of mental health. The calculated results specify that 5.00% (F=15) professional students were seen with poor level of mental health. Meanwhile, results indicate that 1.66% (F=5.00) professional students were seen with very poor level of mental health. Coming towards the non-professional students it was seen that 1.66% (F=5.00) were seen with very good level of mental health. In the same statistical operation it was found that that 3.33% (F=10) nonprofessional students were found with good level of mental health. Further, it was seen that 33.33% (F=100.00) nonprofessional students were found with average level of mental health. The results indicate that 10.00 (F=30.00) non-professional students were found with good level of mental health. Besides, from the obtained results it were seen that 1.66% (F=5.00) non-professional students were found with very poor level of mental health.

Table 2: Shows significance of mean difference between professional and non-professional students on their composite score of mental health. (N=150 each)

Composite	Professional students		Non-professional students		't
score	Mean	SD	Mean	SD	value
Mental Health	125.49	25.77	122.58	23.47	0.92@

Index

• @= Insignificant at 0.01 level of significance.




Fig 2: Shows graphical illustration of professional and nonprofessional students on their composite score of mental health

Index

• MH= Mental Health.

Interpretation: The perusal of the above reported table (Please Refer Table 4.8, Fig, 4.8) gives the mean significant difference between professional and non-professional students on their level of mental health. The results indicate that the mean value of professional students was reported 124.49. Besides, the results specify that the mean value of non-professional students was seen 122.58. When the both group of students professional and non-professional students were comparatively analysed with the help of independent

't' test, the 't' value came out to be 92, which is less than table value at 0.01 level of confidence (P>0.01). Consequently, from the obtained results, it can be inferred that there exists no significant difference between professional and non-professional students on their level of mental health. Therefore, impact of subject stream pursued by the respondents was reported insignificant on their level of mental health. Hence, from the above examined results it can be inferred that there exists no significant difference between professional and non-professional students on all the dimension of self-understanding viz. Positive selfevaluation (PSE), Perception of reality (PR), Integration of personality (IP), Autonomy (AUTNY), Group oriented attitude (GOA), Environmental competence (EC). Keeping the above obtained results under consideration the status of the hypothesis is reported as under:

Hypothesis: There exists no significant difference between professional and non-professional students on mental health.

..... Status (ACCEPTED)

Support to findings: Indeed no significant difference has been found between professional and non-professional students on the level of mental health. The results are carried in consonance to host of the researchers like; Arias, A. J., Steinberg, K., Banga, A., & Trestman, R. L. (2006) [4], Black, D. S., Milam, J., & Sussman, S. (2009) [5], Chiesa, A. (2009) [8], Chiesa, A., & Serretti, A. (2009) [9], Clark, C., & Stansfeld, S. A. (2007) [12].

Conclusion

The present study was intended to explore the level of time mental health of professional and non-professional students. Keeping in view, insignificant difference was reported between professional and non-professional students on various dimensions of mental health viz. Positive selfevaluation (PSE), Perception of reality (PR), Integration of personality (IP), Autonomy (AUTNY), Group oriented attitude (GOA), Environmental competence (EC) and composite score. Consequently, the investigator can inferred that the impact of type of subject stream opted by respondents has insignificant impact on the level of mental health, self-understanding and time competence.

Conflict of interest: During the entire research process no any conflict of interest was declared.

References

- Anderson JW, Liu C, Kryscio RJ. Blood pressure response to transcendental meditation: A meta-analysis. American Journal of Hypertension 2008;21(20):310-316
- Angell M. Drug companies and doctors: A story of corruption. The New York Review of Books 2009, 8-10, 12.
- 3. Appleton KM, Rogers PJ, Ness AR. Updated systematic review and meta-analysis of the effects of n-3 long-chain polyunsaturated fatty acids on depressed mood. American Journal of Clinical Nutrition 2010;91:757-770.
- 4. Arias AJ, Steinberg K, Banga A, Trestman RL. Systematic review of the efficacy of meditation

- techniques as treatments for medical illness. Journal of Alternative and Complementary Medicine 2006;12:817-832.
- 5. Black DS, Milam J, Sussman S. Sitting-meditation interventions among youth: A review of treatment efficacy. Pediatrics 2009;124:532-541.
- 6. Borgonovi F. Doing well by doing good: The relationship between formal volunteering and self-reported happiness. Social Science and Medicine. 2009;66:2312-2334.
- 7. Cherniack EP, Troen BR, Florez HJ, Roos BA, Levis S. Some new food for thought: The role of vitamin D in the mental health of older adults. Current Psychiatry Reports 2009;11(1):12-19.
- 8. Chiesa A. Zen meditation: An integration of current evidence. Journal of Alternative and Complementary Medicine 2009;15:585-592.
- Chiesa A, Serretti A. Mindfulness-based stress reduction for stress management in healthy people: A review and meta-analysis. Journal of Alternative and Complementary Medicine 2009;15:593-600.
- 10. Christakis NA. You make me sick! British Medical Journal 2009;339(118):76.
- 11. Christofoletti G, Oliani MM, Gobbi S, Stella F. Effects of motor intervention in elderly patients with dementia: An analysis of randomized controlled trials. Topics in Geriatric Rehabilitation 2007;23(2):149-154.
- 12. Clark C, Stansfeld SA. The effect of transportation noise on health and cognitive development: A review of recent evidence. International Journal of Comparative Psychology 2007;20:145-158.
- 13. Colcombe S, Kramer AF. Fitness effects on the cognitive function of older adults: A meta-analytic study. Psychological Science 2003;14:125-130.
- 14. Cotman CW, Berchtold NC. Exercise: A behavioural intervention to enhance brain health and plasticity. Neuroscience. 2002; 25(12):295-301.
- 15. Koenig HG. Spirituality in patient care: Why, how, when and what. Philadelphia, PA: Templeton Foundation Press 2002.
- 16. Koenig HG. Research on religion, spirituality and mental health: A Review. Canadian Journal of Psychiatry 2009; 54:283-291.
- 17. Koenig HG, McCullough ME, Larson DB. Handbook of religion and health. New York, NY: Oxford University Press 2001.
- Kothari CR. Research methodology: Methods and techniques. Sixth revised edition. New Age International Publishers. Darya Gangh: New Delhi 2010, 14-84.
- 19. Kraguljac NV, Montori VM, Pavuluri M, Chai HS, Wilson BS, Unal SS. Efficacy of omega-3 fatty acids in mood disorders-a systematic review and misanalysis. Psychopharmacology Bulletin 2009;42(3):39-54.
- Sharma KL. Introduction to Qualitative Research Methods. Journal of Basics Research 2010;10(12):12-15
- 21. Silva T, Ravindran L, Ravindran A. Yoga in the treatment of mood and anxiety disorders: A review. Asian Journal of Psychiatry 2009;2(10):6-16.